



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

09/746,854

12/22/2000

James Morrow

83336.0476

7292

66880 7590 05/15/2008

STEPTOE & JOHNSON, LLP  
2121 AVENUE OF THE STARS  
SUITE 2800  
LOS ANGELES, CA 90067

EXAMINER

PATEL, NIKETA I

ART UNIT

PAPER NUMBER

2181

NOTIFICATION DATE

DELIVERY MODE

05/15/2008

ELECTRONIC

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

kstowe@steptoe.com  
emiyake@steptoe.com  
jpcody@ballytech.com

<b>Office Action Summary</b>	<b>Application No.</b> 09/746,854	<b>Applicant(s)</b> MORROW ET AL.	
	<b>Examiner</b> NIKETA I. PATEL	<b>Art Unit</b> 2181	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 14 April 2008.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-38 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-38 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)          | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____                                      |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)          | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____  | 6) <input type="checkbox"/> Other: _____                          |

## **DETAILED ACTION**

### ***Continued Examination Under 37 CFR 1.114***

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 4/14/2008 has been entered.

### ***Response to Arguments***

2. Applicant's arguments with respect to claims 1-38 have been considered but are moot in view of the new ground(s) of rejection.

### ***Claim Rejections - 35 USC § 103***

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was

not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

5. Claims 1-4, 6-20, 22-27 and 29-38 are rejected under 35 U.S.C. 103(a) as being unpatentable over Swales et al. U.S. Patent Number: 6,233,626 B1 (hereinafter '*Swales*'), Montijo U.S. Patent Number: 6,052,107 (hereinafter '*Montijo*') and further in view of Johnson et al. U. S. Patent Number: 6,622,185 B1 (hereinafter '*Johnson*').

6. **Referring to claims 1, 12, 19, 24**, tacking claim 1 as exemplary, *Swales* teaches a generic device controller unit system [see figure 3], the system comprising: a plurality of machines networked in a machine network environment, each of the plurality of machines having a non-true real time computer having a processor, a non-true real time operating system, and a non-true real time-enabled circuit board [see figure 3, element 12, 'Master Device'; column 4, lines 5-20, 37-45] and a plurality of peripheral devices [see figure 3, element 14, 'I/O Device' and column 1, lines 23-42, 'field devices'], the system comprising: a general purpose device controller [see figure 3, element 10 and column 4, lines 5-7, 'the COM-adapter'] employing asynchronous true real time peripheral device control [see column 1, lines 23-42 and column 4, sentence beginning at line 66, field devise are controlled via specific true real time control protocols, such as MODBUS plus, Interbus-S, Profibus DP, Echelon, Seriplex, CAN DeviceNet, CAN SDS], wherein the device controller interfaces between the peripheral devices and a non-true real time computer a non-true real time operating system [see figure 3, element 10 located between elements 12 & 14 and column 1, lines 64-67 and column 2,

lines 1-5, a personal computer/ host computer/ host device/ field master; column 6, lines 14-28 states that the COM-adapter is compatible with host program running over Windows 95 & NT, therefore the host is running on non-true real time operating system (i.e., Windows 95 & NT)], thereby allowing a non-true real time operating system to implement true real time control of the plurality of peripheral devices [see column 3, lines 15-23, 46-53, COM-adapter allows the field master (i.e., the host device) to control field devices in real time without special operating system]; and a data and protocol communications interface [see figure 3, elements 22, 'ATI interface'], wherein the communications interface connects the processor and the peripheral devices [see figure 3, elements 22 and ATI interface are part of element 10 which provides communication interface between the host device (element 12, master device) and the peripheral devices (element 14, I/O device)], thereby allowing the processor to utilize a single protocol and associated data to communicate with the peripheral devices which may be utilizing protocols and associated data which are different than that used by the processor [see column 6, lines 20-25, the host side uses TCP/IP protocol which is different then the protocol used by the field devices, ATI protocol, as described in column 9, lines 30-34.]

*Swales* does not set forth the detailed limitation of the non-true real time computer having an non-true real time-enabled circuit board however, *Montijo* teaches a non-true real time computer having a non-true real time operating system and non-true real time-enabled circuit board [see *Montijo* column 4, lines 31-49, 'a computer motherboard' and lines 62-67, 'operating system' and column 5, lines 1-6, 'Windows 95,

3.1, NT operating system' i.e., the non-true real time operating system] in order to allow the host computer to process information.

One of ordinary skill in the art at the time of applicant's invention would have clearly recognized that it is quite advantageous for the non-true real time computer of *Swales* to have a non-true real time operating system and non-true real time-enabled circuit board to provide the host computer with information processing capability. It is for this reason that one of ordinary skill in the art would have been motivated to implement the non-true real time computer of *Swales* with a non-true real time operating system and non-true real time-enabled circuit board in order to allow the host computer to process information.

*Swales* does not set forth the limitation of the plurality of machines being gaming machines networked in a gaming machine network environment however, *Johnson* teaches a use of non-true real time gaming computer [*Johnson* figure 2, element 201 and column 6, lines 8-45] in communication with a true-real time computer [*Johnson* figure 2, element 213 and column 6, lines 8-45] for providing a real-time programmable interface to a general-purpose non-real-time computing system [*Johnson* column 5, line 62 to column 6, line 7.]

One of ordinary skill in the art at the time of applicant's invention would have clearly recognized that it is quite advantageous for the non-true real time computer of *Swales* to have a plurality of gaming machines networked in a gaming machine network environment, each of the plurality of gaming machines having a non-true real time computer having a gaming processor, a non-true real time operating system, and a non-

true real time-enabled circuit board, in order to for provide a real-time programmable interface to a general-purpose non-real-time computing system. It is for this reason that one of ordinary skill in the art would have been motivated to implement the non-true real time computer of *Swales* with a plurality of gaming machines networked in a gaming machine network environment, each of the plurality of gaming machines having a non-true real time computer having a gaming processor, a non-true real time operating system, and a non-true real time-enabled circuit board.

7. **Referring to claims 2, 13, 25**, combination of *Swales*, *Montijo & Johnson* teaches wherein the generic device controller unit system produces true real time peripheral device control while interfaced with a non-true real time operating system running standard non-true real time software [see *Swales* figure 3, element 10 located between elements 12 & 14 and column 1, lines 64-67 and column 2, lines 1-5, a personal computer/ host computer/ host device/ field master; column 6, lines 14-28 states that the COM-adaptor is compatible with host program running over Windows 95 & NT, therefore the host is running a non-true real time operating system (i.e., Windows 95 & NT).]

8. **Referring to claims 3, 14, 20, 26**, combination of *Swales*, *Montijo & Johnson* teaches the system and the method wherein the generic device controller unit system functions as a distributed processing environment [see column 6, lines 14-23 and column 3, lines 15-23, 46-53, networked devices COM-adaptor, host computer and field devices provide distributed processing.]

9. **Referring to claims 4, 27**, combination of *Swales, Montijo & Johnson* teaches the system and the method wherein the generic device controller unit system further includes customized system drivers [see *Swales* column 6, lines 42-63, kernel firmware of the COM-adapter.]

10. **Referring to claims 6, 18, 29**, combination of *Swales, Montijo & Johnson* teaches the system and the method wherein the generic device controller unit system interfaces with the non-true real time operating system that functions in a Win32 environment [see *Swales* column 5, lines 1-6, 'Windows 95, 3.1, NT operating system' i.e., Win32 environment non-true real time operating system.]

11. **Referring to claims 7, 15, 22, 30**, combination of *Swales, Montijo & Johnson* teaches the system and the method wherein the generic device controller unit system is an input/output device interface for a processor to peripheral devices [see *Swales* figure 3, element 10 and column 3, lines 46-53 and column 4, lines 5-7, the COM-adapter provides communication interface to a master processor and an I/O device.]

12. **Referring to claims 8, 16, 31**, combination of *Swales, Montijo & Johnson* teaches the system and the method wherein the generic device controller unit system provides real time device control to resource management capabilities of a standard non-true real time operating system [see *Swales* column 3, lines 11-23, 46-53, column 6, lines 14-28 and column 1, lines 23-42, the COM-adapter allows a host running Windows OS to control field devices which are using real time protocol such as MODBUS, the host does runs Windows operating system, Windows operating system do not run true real time kernel; also see column 3, 15-23, which specifically discloses



that real time component are not required, instead standard network components are shared.]

13. **Referring to claims 9, 17, 23, 32**, combination of *Swales, Montijo & Johnson* teaches the system and the method wherein the generic device controller unit system produces true real time peripheral device control without the higher level functionality of the processor [see *Swales* column 3, lines 11-23, 46-53, column 6, lines 14-28 and column 1, lines 23-42, the COM-adaptor allows a host running Windows OS to control field devices which are using real time protocol such as MODBUS, the host does runs Windows operating system, Windows operating system do not run true real time kernel; also see column 3, 15-23, which specifically discloses that real time component are not required, instead standard network components are shared.]

14. **Referring to claims 10, 33**, combination of *Swales, Montijo & Johnson* teaches the system and the method wherein the generic device controller unit system produces true real time peripheral device control without the processor using a true real time kernel [see *Swales* column 3, lines 11-23, 46-53, column 6, lines 14-28 and column 1, lines 23-42, the COM-adaptor allows a host running Windows OS to control field devices which are using real time protocol such as MODBUS, the host does runs Windows operating system, Windows operating system do not run true real time kernel; also see column 3, 15-23, which specifically discloses that real time component are not required, instead standard network components are shared.]

15. **Referring to claims 11, 34**, combination of *Swales, Montijo & Johnson* teaches the system and the method wherein the generic device controller unit system produces

true real time peripheral device control without the processor utilizing a layered true real time operating system [see *Swales* column 3, lines 11-23, 46-53, column 6, lines 14-28 and column 1, lines 23-42, the COM-adaptor allows a host running Windows OS to control field devices which are using real time protocol such as MODBUS; also see column 3, 15-23, which specifically discloses that real time component are not required, instead standard network components are shared.]

16. **Referring to claims 35-38**, the combination of *Swales*, *Montijo & Johnson* and *Halviatti* teaches a use of MODBUS over Ethernet to TCP for the communication of information between the field devices and the field master [see *Swales* column 1, lines 57-60] however does not set forth the limitation of wherein the facilitated interaction between the peripheral devices and non-true real time computer comprise data transfer that are not bounded by length. *Swales* discloses various other types of network communication protocols such as Interbus-S, Profibus DP, Modbus Plus, Echelon, Seriplex, CAN DeviceNet, CAN SDS, and CANCEL each of which having specific and different communication requirements [see column 1, lines 28-41 – different communication requirements – i.e., each of various types of protocols has different types of data transfer length.]

It would have been obvious to one of ordinary skill in the art at the time of applicant's invention that it is quite advantageous to facilitate interaction between the peripheral and the non-true real time computer with data transfers that are not bounded by length by providing various type of communication protocols in order to provide user with the flexibility to implement various types of communication protocols. It is for this

Art Unit: 2181

reason that one of ordinary skill in the art would have been motivated to implement interaction between the peripheral and the non-true real time computer with data transfers that are not bounded by length by providing various type of communication protocols in order to obtain above stated advantage.

17. Claims 5, 21, 28 are rejected under 35 U.S.C. 103(a) as being unpatentable over *Swales, Montijo & Johnson* as modified above in claims 1, 19, 24 and further in view of *Evoy et al.* U.S. Patent Number: 5,958,020 (hereinafter "*Evoy*").

18. **Referring to claims 5, 21, 28**, combination of *Swales, Montijo & Johnson* teaches a generic device controller unit system and a method for facilitating interaction between a processor and any number of peripheral devices [*Swales* figure 3, element 10 located between elements 12 & 14 and column 1, lines 64-67 and column 2, lines 1-5, a personal computer/ host computer/ host device/ field master; column 6, lines 14-28 states that the COM-adaptor is compatible with host program running over Windows 95 & NT, therefore the host is running a non-true real time operating system (i.e., Windows 95 & NT) and *Montijo* teaches serial port, figure 6, element 610.] The combination of *Swales, Montijo & Johnson* does not set forth the limitation wherein Universal Serial Bus is the default communication protocol between the generic device controller unit system and the processor, however *Evoy* teaches a use of Universal Serial Bus protocol between the generic device controller unit system and the processor [see *Evoy* column 2, lines 46-60 and column 1, lines 23-43] because USB connects peripheral devices to the resources of the computer system without consuming the input output

resources of the computer system and also provides for automatic USB peripheral device configuration and eliminates computer system resource conflicts.

One of ordinary skill in the art at the time of applicant's invention would have clearly recognized that it is quite advantageous for the system of *Swales, Montijo & Johnson* to be able to automatically configure peripheral devices in order to eliminate computer system resource conflicts by using USB protocol. It is for this reason that one of ordinary skill in the art would have been motivated to implement USB protocol in the system of *Swales, Montijo & Johnson* to eliminate computer system resource conflicts and saving input output resources.

### ***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to NIKETA I. PATEL whose telephone number is (571)272-4156. The examiner can normally be reached on M-F 8:00 A.M. to 5:00 P.M.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Alford Kindred can be reached on (571) 272 4037. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2181

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Niketa I. Patel/

Primary Examiner, Art Unit 2181